Nano-Micro Letters
e-ISSN 2150-5551
CN 31-2103/TB
CORRECTION
https://doi.org/10.1007/s40820-026-02303-8

Cite as
Nano-Micro Lett.
(2026) 18:448

Correction: High Polarity Doping of CoFe Layered Hydroxides: Bifunctional and Corrosion-Resistant Anion Exchange Membrane Seawater Electrolyzers

Anandhan Ayyappan Saj[1], Sampath Prabhakaran[5], Mohsin Rasool[6], Kousik Bhunia[1], Dongho Lee[6], Hyunseok Ko[5], Tukaram D. Dongale[8], Muthukumar Perumalsamy[1], Arul Saravanan Raaju Sundhar[1], Do Hwan Kim[7] ✉, Sang Jae Kim[1,2,3,4] ✉

Correction to:
Nano-Micro Lett. (2026) 18:393
https://doi.org/10.1007/s40820-026-02230-8

Following publication of the original article [1], the authors reported that Fig. 3 needed to be updated.

The correct Fig. 3 has been provided in this Correction.

The original article can be found online at https://doi.org/10.1007/s40820-026-02230-8.

✉ Do Hwan Kim, dhk201@jbnu.ac.kr; Sang Jae Kim, kimsangj@jejunu.ac.kr
[1] Nanomaterials & System Lab, Major of Mechatronics Engineering, Faculty of Applied Energy System, Jeju National University, Jeju 63243, South Korea
[2] Nanomaterials & System Lab, Major of Mechanical System Engineering, College of Engineering, Jeju National University, Jeju 63243, South Korea
[3] Green Hydrogen Glocal Leading Research Center (gH2-RC), Jeju National University, Jeju 63243, Republic of Korea
[4] Research Institute of New Energy Industry (RINEI), Jeju National University, Jeju 63243, South Korea
[5] Division of AI Convergence Research, Korea Institute of Ceramic Engineering and Technology (KICET), Jinju 52851, Republic of Korea
[6] University of Ulsan, Ulsan 44776, Republic of Korea
[7] Division of Science Education and Institute of Fusion Science, Department of Energy Storage/Conversion Engineering (BK21 FOUR), Jeonbuk National University, Jeonju, Jeonbuk 54896, Republic of Korea
[8] Computational Electronics and Nanoscience Research Laboratory, School of Nanoscience and Biotechnology, Shivaji University, Kolhapur, Maharashtra 416004, India

Published online: 21 July 2026

The incorrect Fig. 3 is:



Fig. 3 **a** LSV profile and **b** Tafel slope of the different composition F-doped and undoped FeCo LMH catalyst. **c** Nyquist plot of CoFe LMH-3 and F-CoFe LMH-8. SECM analysis of CoFe LMH-3 catalyst **d** surface and e tip current profile. SECM analysis of F-CoFe LMH-8 catalyst **f** surface and **g** tip current profile. h Electrochemical stability of F-CoFe LMH-8 at − 50 mA cm^{-2} constant current density. H* adsorption energy at **i** Co-site, **j** Fe-site, and **k** O-site of F-doped FeCo LMH catalyst. **l** H* adsorption Gibbs free energy on Co, Fe, and O-sites.

https://doi.org/10.1007/s40820-026-02303-8

The correct Fig. 3 is:



Fig. 3 **a** LSV profile and **b** Tafel slope of the different composition F-doped and undoped FeCo LMH catalyst. **c** Nyquist plot of CoFe LMH-3 and F-CoFe LMH-8. SECM analysis of CoFe LMH-3 catalyst **d** surface and e tip current profile. SECM analysis of F-CoFe LMH-8 catalyst **f** surface and **g** tip current profile. h Electrochemical stability of F-CoFe LMH-8 at -50 mA cm^{-2} constant current density. H* adsorption energy at **i** Co-site, **j** Fe-site, and **k** O-site of F-doped FeCo LMH catalyst. **l** H* adsorption Gibbs free energy on Co, Fe, and O-sites.

The original article [1] has been corrected.

Reference

1. A.A. Saj, S. Prabhakaran, M. Rasool et al., High polarity doping of CoFe layered hydroxides: bifunctional and corrosion-resistant anion exchange membrane seawater electrolyzers. Nano-Micro Lett. **18**, 393 (2026). https://doi.org/10.1007/s40820-026-02230-8